ELSEVIER

Molecular Brain Research 85 (2000) 260–261

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Abe, H., see Morihara, T. (85) 85
Adachi, K., see Satake, K. (85) 114
Ahlenius, S., see Eriksson, C. (85) 103
Amano, T., see Donai, H. (85) 189
Ankerhold, R., see Kermer, P. (85) 144
Annapurna, V.V., see Rao, K.S. (85) 251
Arai, H., see Ohnuma, T. (85) 24

Bähr, M., see Kermer, P. (85) 144
Balijepalli, S., Boyd, M.R. and Ravindranath, V.
Human brain thioltransferase: constitutive expression and localization by fluorescence in situ hybridization (85) 123
Becquet, D., see François-Bellan, A.M. (85) 161
Bosler, O., see François-Bellan, A.M. (85) 161
Boyd, M.R., see Balijepalli, S. (85) 123
Brüggemann, I., Schulz, S., Wiborny, D. and Höllt, V.
Colocalization of the μ-opioid receptor and calcium/calmodulin-dependent kinase II in distinct pain-processing brain regions (85) 239

Camandola, S., Poli, G. and Mattson, M.P.
The lipid peroxidation product 4-hydroxy-2,3-nonenal inhibits constitutive and inducible activity of nuclear factor κB in neurons (85) 53
Chocyk, A., see Czyrak, A. (85) 209
Cooper, N.G.F., see Laabich, A. (85) 32
Cummings, S.L., see Frostholm, A. (85) 200
Czyrak, A., Chocyk, A., Maćkowiak, M., Fijal, K. and Wędzony, K.
Distribution of dopamine D1 receptors in the nucleus paraventricularis of the hypothalamus in rats: an immunohistochemical study (85) 209

Donai, H., Murakami, T., Amano, T., Sogawa, Y. and Yamauchi, T.
Induction and alternative splicing of δ isoform of Ca^{2+}/calmodulin-dependent protein kinase II during neural differentiation of P19 embryonal carcinoma cells and during brain development (85) 189

Emson, P.C., see Ohnuma, T. (85) 24

Eriksson, C., Zou, L.-P., Ahlenius, S., Winblad, B. and Schultzberg, M.
Inhibition of kainic acid induced expression of interleukin-1β and interleukin-1 receptor antagonist mRNA in the rat brain by NMDA receptor antagonists (85) 103
Evans, J.E., see Frostholm, A. (85) 200

Faull, R.L.M., see Ohnuma, T. (85) 24
Ferrer, I., see López, E. (85) 61
Fijal, K., see Czyrak, A. (85) 209
File, S.E., see Kenny, P.J. (85) 234
François-Bellan, A.M., Guillaumond, F., Bosler, O. and Becquet, D.
Is light-regulated AP-1 binding in the rat suprachiasmatic nucleus gated by the circadian clock? (85) 161
Frostholm, A., Evans, J.E., Cummings, S.L. and Rotter, A.
Harmaline-induced changes in gamma aminobutyric $acid_A$ receptor subunit mRNA expression in murine olivocerebellar nuclei (85) 200

Gomi, F., see Miyoshi, K. (85) 68
Guillaumond, F., see François-Bellan, A.M. (85) 161

Halladay, A.K., Yue, Y., Michna, L., Widmer, D.A.J., Wagner, G.C. and Zhou, R.
Regulation of EphB1 expression by dopamine signaling (85) 171
Harikrishna, T., see Rao, K.S. (85) 251
Hitomi, J., see Miyoshi, K. (85) 68
Hitomi, J., see Morihara, T. (85) 85
Höllt, V., see Brüggemann, I. (85) 239
Huang, P.L., see Putzke, J. (85) 13

Imaizumi, K., see Miyoshi, K. (85) 68
Imaizumi, K., see Morihara, T. (85) 85
Ito, E., see Sugiyama, T. (85) 133
Ito, S., see Tanaka, M. (85) 91
Ito, Y., see Sugiyama, T. (85) 133
Iwakami, N., see Shoji, M. (85) 221
Iwata, H., see Satake, K. (85) 114

Jezierski, M.K. and Sohrabji, F.
Region- and peptide-specific regulation of the neurotrophins by estrogen (85) 77

Kamiya, M., see Satake, K. (85) 114
Kanazawa, I., see Shoji, M. (85) 221
Katayama, T., see Miyoshi, K. (85) 68
Katayama, T., see Morihara, T. (85) 85
Kawakami, H., see Satake, K. (85) 114
Kenny, P.J., File, S.E. and Rattray, M.
Acute nicotine decreases, and chronic nicotine increases the expression of brain-derived neurotrophic factor mRNA in rat hippocampus (85) 234
Kermer, P., Ankerhold, R., Klöcker, N., Krajewski, S., Reed, J.C. and Bähr, M.
Caspase-9: Involvement in secondary death of axotomized rat retinal ganglion cells in vivo (85) 144
Kiuchi, K., see Satake, K. (85) 114
Kiuchi, K., see Tanaka, M. (85) 91
Klöcker, N., see Kermer, P. (85) 144
Koga, H., see Okazaki, N. (85) 1
Kominami, E., see Okazaki, N. (85) 1
Krajewski, S., see Kermer, P. (85) 144

Laabich, A. and Cooper, N.G.F.
Neuroprotective effect of AIP on *N*-methyl-D-aspartate-induced cell death in retinal neurons (85) 32
Lippa, C.F., see Shoji, M. (85) 221
López, E. and Ferrer, I.
Staurosporine- and H-7-induced cell death in SH-SY5Y neuroblastoma cells is associated with caspase-2 and caspase-3 activation, but not with activation of the FAS/FAS-L-caspase-8 signaling pathway (85) 61

Maćkowiak, M., see Czyrak, A. (85) 209
Manabe, T., see Miyoshi, K. (85) 68
Manabe, T., see Morihara, T. (85) 85
Masuho, Y., see Okazaki, N. (85) 1
Matsushita, N., see Tanaka, M. (85) 91
Matsuyama, Y., see Satake, K. (85) 114
Mattson, M.P., see Camandola, S. (85) 53
McKenna, P.J., see Ohnuma, T. (85) 24
Michna, L., see Halladay, A.K. (85) 171
Misawa, H., see Sugiyama, T. (85) 133
Miyoshi, K., Katayama, T., Imaizumi, K., Taniguchi, M., Mori, Y., Hitomi, J., Yui, D., Manabe, T., Gomi, F., Yoneda, T. and Tohyama, M.
Characterization of mouse Ire1α: cloning, mRNA localization in the brain and functional analysis in a neural cell line (85) 68
Mori, N., see Tanaka, M. (85) 91

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00287-4

ELSEVIER

Molecular Brain Research 85 (2000) 260–261

MOLECULAR BRAIN RESEARCH

www.elsevier.com/locate/bres

Author index

Abe, H., see Morihara, T. (85) 85
Adachi, K., see Satake, K. (85) 114
Ahlenius, S., see Eriksson, C. (85) 103
Amano, T., see Donai, H. (85) 189
Ankerhold, R., see Kermer, P. (85) 144
Annapurna, V.V., see Rao, K.S. (85) 251
Arai, H., see Ohnuma, T. (85) 24

Bähr, M., see Kermer, P. (85) 144
Balijepalli, S., Boyd, M.R. and Ravindranath, V.
Human brain thioltransferase: constitutive expression and localization by fluorescence in situ hybridization (85) 123
Becquet, D., see François-Bellan, A.M. (85) 161
Bosler, O., see François-Bellan, A.M. (85) 161
Boyd, M.R., see Balijepalli, S. (85) 123
Brüggemann, I., Schulz, S., Wiborny, D. and Höllt, V.
Colocalization of the μ-opioid receptor and calcium/calmodulin-dependent kinase II in distinct pain-processing brain regions (85) 239

Camandola, S., Poli, G. and Mattson, M.P.
The lipid peroxidation product 4-hydroxy-2,3-nonenal inhibits constitutive and inducible activity of nuclear factor κB in neurons (85) 53
Chocyk, A., see Czyrak, A. (85) 209
Cooper, N.G.F., see Laabich, A. (85) 32
Cummings, S.L., see Frostholm, A. (85) 200
Czyrak, A., Chocyk, A., Maćkowiak, M., Fijal, K. and Wędzony, K.
Distribution of dopamine D1 receptors in the nucleus paraventricularis of the hypothalamus in rats: an immunohistochemical study (85) 209

Donai, H., Murakami, T., Amano, T., Sogawa, Y. and Yamauchi, T.
Induction and alternative splicing of δ isoform of Ca^{2+}/calmodulin-dependent protein kinase II during neural differentiation of P19 embryonal carcinoma cells and during brain development (85) 189

Emson, P.C., see Ohnuma, T. (85) 24

Eriksson, C., Zou, L.-P., Ahlenius, S., Winblad, B. and Schultzberg, M.
Inhibition of kainic acid induced expression of interleukin-1β and interleukin-1 receptor antagonist mRNA in the rat brain by NMDA receptor antagonists (85) 103
Evans, J.E., see Frostholm, A. (85) 200

Faull, R.L.M., see Ohnuma, T. (85) 24
Ferrer, I., see López, E. (85) 61
Fijal, K., see Czyrak, A. (85) 209
File, S.E., see Kenny, P.J. (85) 234
François-Bellan, A.M., Guillaumond, F., Bosler, O. and Becquet, D.
Is light-regulated AP-1 binding in the rat suprachiasmatic nucleus gated by the circadian clock? (85) 161
Frostholm, A., Evans, J.E., Cummings, S.L. and Rotter, A.
Harmaline-induced changes in gamma aminobutyric $acid_A$ receptor subunit mRNA expression in murine olivocerebellar nuclei (85) 200

Gomi, F., see Miyoshi, K. (85) 68
Guillaumond, F., see François-Bellan, A.M. (85) 161

Halladay, A.K., Yue, Y., Michna, L., Widmer, D.A.J., Wagner, G.C. and Zhou, R.
Regulation of EphB1 expression by dopamine signaling (85) 171
Harikrishna, T., see Rao, K.S. (85) 251
Hitomi, J., see Miyoshi, K. (85) 68
Hitomi, J., see Morihara, T. (85) 85
Höllt, V., see Brüggemann, I. (85) 239
Huang, P.L., see Putzke, J. (85) 13

Imaizumi, K., see Miyoshi, K. (85) 68
Imaizumi, K., see Morihara, T. (85) 85
Ito, E., see Sugiyama, T. (85) 133
Ito, S., see Tanaka, M. (85) 91
Ito, Y., see Sugiyama, T. (85) 133
Iwakami, N., see Shoji, M. (85) 221
Iwata, H., see Satake, K. (85) 114

Jezierski, M.K. and Sohrabji, F.
Region- and peptide-specific regulation of the neurotrophins by estrogen (85) 77

Kamiya, M., see Satake, K. (85) 114
Kanazawa, I., see Shoji, M. (85) 221
Katayama, T., see Miyoshi, K. (85) 68
Katayama, T., see Morihara, T. (85) 85
Kawakami, H., see Satake, K. (85) 114
Kenny, P.J., File, S.E. and Rattray, M.
Acute nicotine decreases, and chronic nicotine increases the expression of brain-derived neurotrophic factor mRNA in rat hippocampus (85) 234
Kermer, P., Ankerhold, R., Klöcker, N., Krajewski, S., Reed, J.C. and Bähr, M.
Caspase-9: Involvement in secondary death of axotomized rat retinal ganglion cells in vivo (85) 144
Kiuchi, K., see Satake, K. (85) 114
Kiuchi, K., see Tanaka, M. (85) 91
Klöcker, N., see Kermer, P. (85) 144
Koga, H., see Okazaki, N. (85) 1
Kominami, E., see Okazaki, N. (85) 1
Krajewski, S., see Kermer, P. (85) 144

Laabich, A. and Cooper, N.G.F.
Neuroprotective effect of AIP on *N*-methyl-D-aspartate-induced cell death in retinal neurons (85) 32
Lippa, C.F., see Shoji, M. (85) 221
López, E. and Ferrer, I.
Staurosporine- and H-7-induced cell death in SH-SY5Y neuroblastoma cells is associated with caspase-2 and caspase-3 activation, but not with activation of the FAS/FAS-L-caspase-8 signaling pathway (85) 61

Maćkowiak, M., see Czyrak, A. (85) 209
Manabe, T., see Miyoshi, K. (85) 68
Manabe, T., see Morihara, T. (85) 85
Masuho, Y., see Okazaki, N. (85) 1
Matsushita, N., see Tanaka, M. (85) 91
Matsuyama, Y., see Satake, K. (85) 114
Mattson, M.P., see Camandola, S. (85) 53
McKenna, P.J., see Ohnuma, T. (85) 24
Michna, L., see Halladay, A.K. (85) 171
Misawa, H., see Sugiyama, T. (85) 133
Miyoshi, K., Katayama, T., Imaizumi, K., Taniguchi, M., Mori, Y., Hitomi, J., Yui, D., Manabe, T., Gomi, F., Yoneda, T. and Tohyama, M.
Characterization of mouse Ire1α: cloning, mRNA localization in the brain and functional analysis in a neural cell line (85) 68
Mori, N., see Tanaka, M. (85) 91

0169-328X/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0169-328X(00)00287-4

Mori, Y., see Miyoshi, K. (85) 68
Morihara, T., Katayama, T., Sato, N., Yoneda, T., Manabe, T., Hitomi, J., Abe, H., Imaizumi, K. and Tohyama, M.
Absence of endoproteolysis but no effects on amyloid β production by alternative splicing forms of presenilin-1, which lack exon 8 and replace D257A (85) 85
Murakami, T., see Donai, H. (85) 189
Muramatsu, M.-a., see Okazaki, N. (85) 1

Nakayama, M., see Ohara, R. (85) 41

Ohara, O., see Ohara, R. (85) 41
Ohara, R., Yamakawa, H., Nakayama, M. and Ohara, O.
Type II brain 4.1 (4.1B/KIAA0987), a member of the protein 4.1 family, is localized to neuronal paranodes (85) 41
Ohnuma, T., Tessler, S., Arai, H., Faull, R.L.M., McKenna, P.J. and Emson, P.C.
Gene expression of metabotropic glutamate receptor 5 and excitatory amino acid transporter 2 in the schizophrenic hippocampus (85) 24
Okajima, F., see Sato, K. (85) 151
Okazaki, N., Yan, J., Yuasa, S., Ueno, T., Kominami, E., Masuho, Y., Koga, H. and Muramatsu, M.-a.
Interaction of the Unc-51-like kinase and microtubule-associated protein light chain 3 related proteins in the brain: possible role of vesicular transport in axonal elongation (85) 1
Okazawa, H., see Shoji, M. (85) 221
Ono, S., see Shoji, M. (85) 221

Poli, G., see Camandola, S. (85) 53
Putzke, J., Seidel, B., Huang, P.L. and Wolf, G.
Differential expression of alternatively spliced isoforms of neuronal nitric oxide synthase (nNOS) and *N*-methyl-D-aspartate receptors (NMDAR) in knockout mice deficient in nNOSα (nNOSα$^{-/-}$ mice) (85) 13

Raji, N.S., see Rao, K.S. (85) 251
Rao, K.S., Annapurna, V.V., Raji, N.S. and Harikrishna, T.
Loss of base excision repair in aging rat neurons and its restoration by DNA polymerase β (85) 251
Rattray, M., see Kenny, P.J. (85) 234
Ravindranath, V., see Balijepalli, S. (85) 123
Reed, J.C., see Kermer, P. (85) 144
Rimini, R., Rimland, J.M. and Terstappen, G.C.
Quantitative expression analysis of the small conductance calcium-activated potassium channels, SK1, SK2 and SK3, in human brain (85) 218
Rimland, J.M., see Rimini, R. (85) 218
Rotter, A., see Frostholm, A. (85) 200

Samina Riaz, S. and Tomlinson, D.R.
Pharmacological modulation of nerve growth factor synthesis: a mechanistic comparison of vitamin D receptor and β_2-adrenoceptor agonists (85) 179
Satake, K., Matsuyama, Y., Kamiya, M., Kawakami, H., Iwata, H., Adachi, K. and Kiuchi, K.
Nitric oxide via macrophage iNOS induces apoptosis following traumatic spinal cord injury (85) 114
Sato, K., Ui, M. and Okajima, F.
Differential roles of Edg-1 and Edg-5, sphingosine 1-phosphate receptors, in the signaling pathways in C6 glioma cells (85) 151
Sato, N., see Morihara, T. (85) 85
Schultzberg, M., see Eriksson, C. (85) 103
Schulz, S., see Brüggemann, I. (85) 239
Seidel, B., see Putzke, J. (85) 13
Shinoe, T., see Sugiyama, T. (85) 133
Shoji, M., Iwakami, N., Takeuchi, S., Waragai, M., Suzuki, M., Kanazawa, I., Lippa, C.F., Ono, S. and Okazawa, H.
JNK activation is associated with intracellular β-amyloid accumulation (85) 221

Sogawa, Y., see Donai, H. (85) 189
Sohrabji, F., see Jezierski, M.K. (85) 77
Sugiyama, T., Shinoe, T., Ito, Y., Misawa, H., Tojima, T., Ito, E. and Yoshioka, T.
A novel function of synapsin II in neurotransmitter release (85) 133
Suzuki, M., see Shoji, M. (85) 221

Takeuchi, S., see Shoji, M. (85) 221
Tanaka, M., Ito, S., Matsushita, N., Mori, N. and Kiuchi, K.
Promoter analysis and characteristics of the 5′-untranslated region of the mouse glial cell line-derived neurotrophic factor gene (85) 91
Taniguchi, M., see Miyoshi, K. (85) 68
Terstappen, G.C., see Rimini, R. (85) 218
Tessler, S., see Ohnuma, T. (85) 24
Tohyama, M., see Miyoshi, K. (85) 68
Tohyama, M., see Morihara, T. (85) 85
Tojima, T., see Sugiyama, T. (85) 133
Tomlinson, D.R., see Samina Riaz, S. (85) 179

Ueno, T., see Okazaki, N. (85) 1
Ui, M., see Sato, K. (85) 151

Wagner, G.C., see Halladay, A.K. (85) 171
Waragai, M., see Shoji, M. (85) 221
Wędzony, K., see Czyrak, A. (85) 209
Wiborny, D., see Brüggemann, I. (85) 239
Widmer, D.A.J., see Halladay, A.K. (85) 171
Winblad, B., see Eriksson, C. (85) 103
Wolf, G., see Putzke, J. (85) 13

Yamakawa, H., see Ohara, R. (85) 41
Yamauchi, T., see Donai, H. (85) 189
Yan, J., see Okazaki, N. (85) 1
Yoneda, T., see Miyoshi, K. (85) 68
Yoneda, T., see Morihara, T. (85) 85
Yoshioka, T., see Sugiyama, T. (85) 133
Yuasa, S., see Okazaki, N. (85) 1
Yue, Y., see Halladay, A.K. (85) 171
Yui, D., see Miyoshi, K. (85) 68

Zhou, R., see Halladay, A.K. (85) 171
Zou, L.-P., see Eriksson, C. (85) 103